

FEDERAL INSTITUTE OF INDUSTRIAL PROPERTY

Selected databases
Query parameters
Query definition
Refine query
Query results
Basket
Saved queries
Statistics
Help
Proposals
Exit

Document:	Abstract		
Status	PDF		
(11) Number of the patent document	of 28.02.2008 - operates		
	2285337		
(13) Kind of document	C2		
(14) Document date	2006.10.10 Search		
(19) Publishing country or organization	RU		
(21) Application number	2003120064/09		
(22) Application filing date	2001.12.04		
(30) Priority data	09/755,207 2001.01.05 cl.1-9 US		
(24) Date started of validity of the patent	2001.12.04		
(43) Unexamined printed documents without grant	2005.01.10 Search		
(45) Date	2006.10.10 Search		
(51) Main classification IPC	H04B7/005 (2006.01) Search IPC		
(51) Main classification IPC	H04Q7/38 (2006.01) Search IPC		
(51) Main classification IPC	H04J13/00 (2006.01) Search IPC		
Title	METHOD AND DEVICE FOR CONTROLLING POWER LEVEL IN WIRELESS COMMUNICATION SYSTEM		
(56) List of prior art documents	RU 97117953 A, 20.09.1999. RU 2120198 C1, 10.10.1998. EP 1003296 A1, 24.05.2000. WO 9913675 A1, 18.03.1999. EP 0991206 A1, 05.04.2000.		
(72) Inventor information	ChEN Tao (US) Search		
(72) Inventor information	VANG Dzun (US) Search		
(73) Grantee (asignee) information	KVEhLKOMM INKORPOREJTED (US)		
	Search		
(85) PCT date art. 22/39	2003.07.07		
(86) PCT or regional filing information	US 01/46969 (04.12.2001)		
(87) PCT or regional filing information (publ.)	WO 02/47361 (13.06.2002)		
Mail address	129010, Moskva, ul. B. Spasskaja, 25, str.3, OOO "Juridicheskaja firma Gorodisskij i Partnery", pat.pov. Ju.D.Kuznetsovу,		

DOCUMENT
to the beginning
to the end
print
TERMS
previous
next

reg.№ 595

Abstract

FEDERAL INSTITUTE OF INDUSTRIAL PROPERTY

Selected databases
Query parameters
Query definition
Refine query
Query results
Basket
Saved queries
Statistics
Help
Proposals
Exit

Bibliography


#2285337. Abstract

FIELD: call recovery in wireless communication systems.

SUBSTANCE: In case of problems with communication line between mobile station and base station mobile station and infrastructure organize in advance potential saving base stations; mobile station disconnects transmitter in the course of recovery process and transmission power is raised in the coarse of recovery to transmit pilot-signal level measurement message until message informing about direction of service transfer is received, transmission power level being increased to maximum.

EFFECT: enhanced reliability of call recovery procedure.

9 cl, 16 dwg



[Bibliography](#)

DOCUMENT
to the beginning
to the end
print